

HALOSTAR 20 W 24 V G4

HALOSTAR 24 V | Low-voltage (24 V) pin based halogen lamps



Product benefits

- Base pins are tempered to protect against corrosion
- Axial filament ensures optimum directional light
- High illuminance level
- Contains no mercury

Technical data

Electrical data

Nominal wattage	20.00 W
Nominal voltage	24 V
Rated wattage	20.00 W
Power factor λ	1.00
Energy consumption	22 kWh/1000h


Photometrical data

Nominal luminous flux	320 lm
Color temperature	2900 K
Rated luminous flux	320 lm
Color rendering index Ra	100
Lumen main.fact.at end of nom.life time	0.80

Light technical data

Starting time	0.0 s
Warm-up time (60 %)	0.00 s

Dimensions & weight



Product line drawing

Diameter	10.0 mm
Overall length	33.0 mm
Light center length (LCL)	22.0 mm
Outer bulb	T10
Length	33.0 mm

Product datasheet

Colors & materials


Lamp mercury content	0.0 mg
Mercury-free	Yes

Lifespan

Nominal lamp life time	1000 h
Rated lamp life time	1000 h
Number of switching cycles	25000 ¹⁾

¹⁾ At 1 min on / 3 min off

Additional product data



Spectral power distribution

Base (standard designation)	G4
Footnote only for product	Quick-acting miniature fuse needed acc. to EN60432-2

Capabilities

Burning position	Any
Dimmable	Yes

Certificates & standards

Energy efficiency class	C
-------------------------	---

Product datasheet

Country specific categorizations

ILCOS	HSG/C/UB-20-24-G4-10/22
Order reference	64435 U 20W 24V

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300335513	OSRH64435U	8326604	4739474	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300335513	HALOSTAR 20 W 24 V G4	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	2.43 g
4008321623393	HALOSTAR 20 W 24 V G4	Shipping carton box 40	121 mm x 107 mm x 144 mm	1.86 dm ³	184.67 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.