### Product datasheet



# DULUX L BL 18 W/71

## OSRAM BLUE UV-A | Ultraviolet lamps



#### Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

### Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



October 16, 2021, 08:31:19 DULUX L BL 18 W/71

# Product datasheet

### Technical data

### **Product information**

Order reference	DULUX L BLUE 18

#### Electrical data

Lamp voltage	110 V
Lamp current	0.37 A
Nominal wattage	18.00 W

### Photometrical data

Luminous intensity	7800 cd
Radiated power 315400 nm (UVA)	-

# Dimensions & weight

Diameter	18.0 mm
Length	217.0 mm

### Lifespan

Lifespan	2000 h

---

### Additional product data

Base (standard designation)	2G11	
Product remark	4.2 W at 400550 nm	

### Capabilities

Burning position	s180

### **Country specific categorizations**

Order reference	DULUX L BLUE 18

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321198884	OSRDL1871	-	4934192	-
4008321198884	OSRDL1871	-	4934192	-

### Product datasheet

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321198884	DULUX L BL 18 W/71	Folding carton box 1	46 mm x 27 mm x 246 mm	0.31 dm³	72.00 g
4008321198891	DULUX L BL 18 W/71	Shipping carton box 10	229 mm x 145 mm x 136 mm	4.52 dm <sup>3</sup>	809.75 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.