



TUV T8

TUV F17T8 25PK

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.
- Lamp contains mercury. Manage in Accord with Disposal Laws. See: www.lamprecycle.org or 1-800-555-0050

Product data

General Information	
Base	G13 [Medium Bi-Pin Fluorescent]
Main Application	Disinfection
Life To 10% Failures (Nom)	7500 h
Useful Life (Nom)	9000 h
System Description	na [-]
Light Technical	
Color Code	TUV
Color Designation	- [Not Specified]
Depreciation at Useful Lifetime	15 %

Operating and Electrical	
Power (Rated) (Nom)	16.7 W
Lamp Current (Nom)	0.236 A
Voltage (Nom)	72 V
Mechanical and Housing	
Cap-Base Information	2P
Bulb Shape	T8 [26 mm (T8)]
Approval and Application	
Mercury (Hg) Content (Nom)	5.0 mg

TUV T8

UV


UV-C Radiation at 100 hr 4.5 W

Product Data

Order product name TUV T8 F17 1SL/25
 EAN/UPC - Product 8711500264138
 Order code 133405

Numerator - Quantity Per Pack 1
 Numerator - Packs per outer box 25
 Material Nr. (12NC) 927941904020
 Net Weight (Piece) 100.000 g



Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
TUV T8 F17 1SL/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604.0 mm

TUV TL-D 18W

Photometric data



XDPB_XUTUVTL-D-Spectral power distribution B/W

XDPO_XUTUVTL-D-Spectral power distribution Colour

