



Halogen non-reflector

5761 30W G4 6V

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data


General Information			
Cap-Base	G4 [G4]		
Philips Code	5761		
ANSI Code	-		
LIF Code	-		
Operating Position	UNIVERSAL [Any or Universal (U)]		
Main Application	Projection		
Life to 50% Failures (Nom)	100 h		
Light Technical			
Luminous Flux (Nom)	765 lm		
Correlated Color Temperature (Nom)	3200 K		
Color Rendering Index (Nom)	100		
Operating and Electrical			
Power (Nom)	30 W		
Voltage (Nom)	6 V		

Quartz-UV Open				
1.6x1.6				
Luminaire Design Requirements				
900 ℃				
400 °C				
871150041084950				
5761 30W G4 6V				
8711500410849				
923931110103				
1				
100				
923931110103				
0.001 kg				

Datasheet, 2020, November 3 data subject to change

Halogen non-reflector

Dimensional drawing



Product	D (max)	L (max)	C (max)
5761 30W G4 6V	9.5 mm	19.75 mm	31 mm

